



QUAD-LOCK TIE

REINFORCED
CONCRETE CORE

QUAD-LOCK PANEL

LINTEL REINFORCEMENT
TO ENGINEERS SPECIFICATION

EXTERNAL WALL FINISH
AS SPECIFIED

FLASHING W/ DRIPLEdge

WINDOW SHUTTERS
FASTENED TO INTERNAL BUCK

INTERNAL WOOD BUCK FOR FLUSHED
WINDOW ATTACHMENT
TO BE FASTENED TO CONCRETE
VIA SCREWS ON CONTACT SIDE

WINDOW FRAME BY OTHERS
FASTEN BLOCKING AS SHOWN
WATERPROOF AS REQUIRED



Quad-Lock (England) Ltd.
Unit B3, 1 Maws Centre
Jackfield, Shropshire
TF8 7LS

Tel : 01952 884931
Fax : 01952 883285
www.quadlock.co.uk

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

WINDOW DETAIL
SHUTTERS ATTACHED TO INTERNAL BUCK

DATE:	2008-05-13	SCALE:	N.T.S.
REVISION NO:	R-00	PROJECT:	N/A
REVISION DATE:		CUSTOMER:	N/A
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H. M. KUSTERMANN
			DRAWING NO: 7.8.2